


**Industrial vacuum with
three-phase drive
type R01 R:**
Powerful cleaners
for continuous
operation



Industrial vacuum with three-phase drive type R01 R



Easy to handle thanks
to RUWAC foot bar
emptying mechanism



view film

Concentrated power for any application

- Multiple variants thanks to modular system
 - GRP housing
 - Choice of disposal systems
- Versions for explosive dust and explosive gas areas
- Version for asbestos removal

R01 R040
in circuit board
manufacturing



R01 R075
explosive dust,
with extractor arm
in the production
of plastic



R01 R022
explosive dust
in woodworking



R01 R040
explosive gas
for the fire brigade



R01 R022
explosive dust in
food production



R01 R022
explosive dust
with floor vacuuming
device in the
agricultural industry



Technical data

	R01 R				
	022 BA1	022 BA2	040 BA1	040 BA2	075 BA1
Housing	GRP	GRP	GRP	GRP	GRP
Motor power (kW)	2.2	2.2	4.0	4.0	7.5
Voltage (V)	400	400	400	400	400
Vacuum (mbar)	-206	-206	-213	-213	-330
Air flow rate (m³/h) (measured with 3 m hose)	300	300	440	440	530
Sound pressure level (dB(A)) (DIN EN ISO 3744)	70	61	70	62	74
Bag filter for dust class L, M (m²)	1.2/2.6	1.2/2.6	1.2/2.6	1.2/2.6	1.2/2.6
Cell filter for dust class L, M (m²)	1.0	–	1.0	–	–
Residual dust filter for dust class H (m²)	3.2	3.2	3.2	3.2	3.2
Height (mm) (Cell filter 1.0 m² for dust class L, M)	970	–	970	–	–
Height (mm) (Pocket filter 1.2 m² for dust class L, M)	970	1,350	967	1,350	1,117
Height (mm) (Pocket filter 2.6 m² for dust class L, M)	1,223	1,700	1,223	1,700	1,755
Height (mm) (Cell filter 1.0 m² for dust class H)	1,040	–	1,040	–	–
Height (mm) (Bag filter 1.2 m² for dust class H)	1,040	1,450	1,040	1,450	1,308
Height (mm) (Bag filter 2.6 m² for dust class H)	1,380	1,800	1,610	1,800	1,955
Width (mm)	520	520	520	520	520
Length (mm)	850	850	850	850	850
Protection class IP	54/65	54/65	54/65	54/65	54/65
Capacity (litres)	35	35	35	35	35
Suction connection (mm)	50	50	70	70	70

Choice of disposal systems



Ruwac
Industriesauger



Ruwac
Industriesauger GmbH
Westhofener Str. 25
49328 Melle

+49 (0) 52 26 - 98 30-0
www.ruwac.de
ruwac@ruwac.de

Industrial vacuum cleaners are available in explosion-proof versions in accordance with ATEX 2014/34/EU.



14-1230-002-01.2021